


6300

Docket No.: 50012-00004

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In the Application of:

Brian Eugene Baldwin, et al.

Serial No.: 09/928,007

Filed: August 10, 2001

Confirmation No.: 6430


For: METHOD, SYSTEM, AND
APPARATUS FOR HANDLING,
LABELING, FILLING AND
CAPPING SYRINGES

) Group Art Unit: [Not Yet Assigned]

) Examiner: [Not Yet Assigned]

**RESPONSE TO NOTICE TO FILE
CORRECTED APPLICATION PAPERS -
FORMAL DRAWING SUBMISSION**

I HEREBY CERTIFY THAT this correspondence is being deposited with the United States Postal service as first-class mail in an envelope addressed to Commissioner for Patents, Washington, DC 20231 on: October 4, 2001.

By: 
Michelle L. Wyss


Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

In response to Notice to File Corrected Application Papers, mailed September 18, 2001, regarding the above-identified patent application, enclosed for filing with said application are twenty-two (22) sheets of formal drawings illustrating Figs. 1-13c of the application. Figs. 1-13c constitute all of the drawings in the application.

Respectfully submitted,

MARSH FISCHMANN & BREYFOGLE LLP

By: 

Thomas R. Marsh, Esq.
3151 South Vaughn Way, Suite 411
Aurora, Colorado 80014
Atty. Reg. No.: 31,039
Telephone: (303) 338-0997
Facsimile: (303) 338-1514

Date: October 4, 2001

TOC001 40032660



UNITED STATES PATENT AND TRADEMARK OFFICE



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/928,007	08/10/2001	Brian Eugene Baldwin	50012-00004

CONFIRMATION NO. 6430

FORMALITIES LETTER



OC000000006570377

MARSH FISCHMANN & BREYFOGLE LLP
3151 S. Vaughn Way, Suite 411
Aurora, CO 80014

Date Mailed: 09/18/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

2001-09-18 10:00:00